

EM 049

Equilibrium of moments on a two-arm lever



Description

■ **fundamentals of the equilibrium of moments and application of the law of levers**

A vertical column carries the lever. A sturdy base plate ensures that the unit stands securely.

EM 049 is used to investigate the fundamentals of the equilibrium of moments based on the example of a two-arm lever. Moments occurring on the lever are to be brought to equilibrium.

A centrally mounted beam represents a two-arm lever. Movable riders are placed on the lever and weights are applied. Equilibrium is attained by moving the weights. Distances from the pivot point – the lever arms – can be read from an integrated scale. The calculation of the lever arms is verified in the experiment.

Learning objectives/experiments

- fundamentals of the equilibrium of moments: applied forces, generated moments and equilibrium
- action of forces dependent on the lever arm

Specification

- [1] investigation of the equilibrium of moments on a two-arm lever
- [2] ball bearing-mounted beam with integrated scale as two-arm lever
- [3] sturdy metal frame
- [4] storage system to house the components

Technical data

Beam

- LxWxH: 600x30x10mm, centrally ball bearing mounted
- lever length: 2x 300mm

Weights

- 3x 1N (hanger)
- 6x 5N
- 12x 1N

LxWxH: 600x300x410mm

Weight: approx. 10kg

LxWxH: 200x70x40mm (storage system)

LxWxH: 95x68x35mm (storage system)

Scope of delivery

- 1 experimental unit
- 1 set of weights
- 1 set of instructional material

EM 049

Equilibrium of moments on a two-arm lever

Optional accessories

020.30009

WP 300.09

Laboratory trolley